



Patent Application of Jerry S. Trainello - Page 9

(Amended Claims: Application Number: 10/614,579 Art Unit: 3711

Examiner: Sebastiano Passaniti

Claims: I claim:

1. A golf putter comprising:
 - (a) a shaft centrally located above the putter head,
 - (b) a tapered piece centrally located on said putter head,
 - (c) said shaft and said tapered piece are secured with a screw or pin,
 - (d) said shaft extends through said putter head and is secured at the bottom end via structural means to said putter head,
 - (e) said putter head is forever pivotable, and rotates when struck off center by a golf ball,
 - (f) said putter head and said shaft at the bottom end has structural means for adjusting drag or tension on said putter head, whereby when striking a ball off center said putter head would move or rotate only when hit.
2. The putter head of claim 1 further including viewable indicia on said putter head.
3. The tapered piece of claim 1 further including viewable indicia on said tapered piece.
4. The putter head of claim 2 further including a position indicator in the form of a line.

(Amended Claims: Application Number: 10/614,579 Art Unit: 3711

Examiner: Sebastiano Passaniti

5. The tapered piece of claim 3 further including a position indicator in the form of a line.
6. The putter head of claim 4 wherein said position indicator is in line with said position indicator on said tapered piece,
7. The tapered piece of claim 5 wherein said position indicator is in line with said position indicator on said putter head.
8. The shaft of claim 1 wherein said shaft can rotate completely around said putter head.
9. The putter head of claim 1 wherein said putter head can rotate completely around said shaft.
10. The putter head of claim 1 wherein when said putter head is struck off center said putter head would move.

(Amended Claims: Application Number: 10/614,579 Art Unit: 3711

Examiner: Sebastiano Passaniti

11. A method of swiveling a club head comprising:

- (a) providing a head and shaft structurally connected so as to rotate,
- (b) providing said head and said shaft with indicia to show said head rotation, whereby the amount of rotation will visually show a golfer where on said club head the ball struck.